

## BenchMark™ Mild, Stainless Steel, HE Series



### APPROVALS



Measurement Canada Approved



Meets USDA Requirements

APPROVED

### STANDARD FEATURES

- 304 stainless steel construction
- LifeGuard™ base design isolates load cell from overloads and shock loads for added durability
- Specially designed adjustable support feet provide exceptional traction and won't scratch surfaces

# TRANSCAT®

Visit us at [Transcat.com!](http://Transcat.com)

35 Vantage Point Drive // Rochester, NY 14624 // Call 1.800.800.5001

### SPECIFICATIONS

**LOAD CELL, NTEP - CERTIFIED:**

Mild steel and stainless steel: aluminum, environmentally sealed  
HE: Stainless steel, hermetically sealed, IP69

**OUTPUT IMPEDANCE:**

Mild steel and stainless steel: 350 ohms  
HE: 1000 ohms

**MAXIMUM OVERLOAD:**

150-200% depending on capacity

**OVERLOAD PROTECTION:**

Five point, independently adjusted

**CABLE LENGTH:**

10 ft (3m)

**COMPENSATED TEMPERATURE RANGE:**

14°F to 104°F (-10°C to 40°C)

**APPROVALS:**

NTEP Certified per H-44, Class III, 5000d,  
CC #95-072A2  
Measurement Canada approved, AM-5082


**WARRANTY:**

Mild steel and stainless steel:  
Two-year limited warranty  
HE: Three-year limited warranty  
including water ingress

**BenchMark™ Mild, Stainless Steel, HE Series****DIMENSIONS**

PART # (MILD)	PART # (STAINLESS)	PART # (HE)	CAPACITY	PLATFORM SIZE (L X W)	L1	W1	H (MILD & STAINLESS STEEL)	H (HE)
18580	N/A	N/A	30 (15kg)	12in x 12in	12.50in	12.50in	4.12in	N/A
18582	N/A	N/A	50 (25kg)	12in x 12in	12.50in	12.50in	4.12in	N/A
18584	N/A	N/A	100 (50kg)	12in x 12in	12.50in	12.50in	4.12in	N/A
18586	32918	86950	50 (25kg)	12in x 18in	12.50in	18.50in	MS 4.12in SST 3.62in	4in
18588	32919	86951	100 (50kg)	12in x 18in	12.50in	18.50in	MS 4.12in SST 3.62in	4in
18590	18591	86952	50 (25 kg)	18in x 18in	18.75in	18.75in	5.25in	5.25in
18592	18593	86953	100 (50kg)	18in x 18in	18.75in	18.75in	5.25in	5.25in
18594	18595	86954	150 (75kg)	18in x 18in	18.75in	18.75in	5.25in	5.25in
18596	18697	86955	200 (100kg)	18in x 18in	18.75in	18.75in	5.25in	5.25in
18598	18599	86956	250 (125kg)	18in x 18in	18.75in	18.75in	5.25in	5.5in
18600	18601	86957	300 (150kg)	18in x 18in	18.75in	18.75in	5.25in	5.5in
18602	18603	86958	500 (250kg)	18in x 18in	18.75in	18.75in	5.25in	5.5in
18604	18605	86959	1,000 (500kg)	18in x 18in	18.75in	18.75in	5.25in	5.5in
18606	18607	86960	50 (25kg)	18in x 24in	18.75in	24.75in	5.25in	5.25in
18608	18609	86961	100 (50kg)	18in x 24in	18.75in	24.75in	5.25in	5.25in
18610	18611	86962	150 (75kg)	18in x 24in	18.75in	24.75in	5.25in	5.25in
18612	18613	86963	200 (100kg)	18in x 24in	18.75in	24.75in	5.25in	5.25in
18614	18615	86964	250 (125kg)	18in x 24in	18.75in	24.75in	5.25in	5.5in
18616	18617	86965	300 (150kg)	18in x 24in	18.75in	24.75in	5.25in	5.5in
18618	18619	86966	500 (250kg)	18in x 24in	18.75in	24.75in	5.25in	5.5in
18620	18621	86967	1,000 (500kg)	18in x 24in	18.75in	24.75in	5.25in	5.5in
18622	18623	86968	100 (50kg)	24in x 24in	24.75in	24.75in	5.25in	5.25in
18624	18625	86969	150 (75kg)	24in x 24in	24.75in	24.75in	5.25in	5.25in
18626	18627	86970	200 (100kg)	24in x 24in	24.75in	24.75in	5.25in	5.25in
18628	18629	86971	250 (125kg)	24in x 24in	24.75in	24.75in	5.25in	5.5in
18630	18631	86972	300 (150kg)	24in x 24in	24.75in	24.75in	5.25in	5.5in
18632	18633	86973	500 (250kg)	24in x 24in	24.75in	24.75in	5.25in	5.5in
18634	18635	86974	1,000 (500kg)	24in x 24in	24.75in	24.75in	5.25in	5.5in

Note: 1"=25.4 mm



# Bench Scales

## BenchMark™ Mild, Stainless Steel, HE Series

PART #	CAPACITY	PLATFORM DIMENSIONS	EST. SHIP WEIGHT	PRICE
<b>Mild Steel Series</b>				
18580	30lb.	12in x 12in x 4.12in	20lb	Consult factory
18582	50lb.	12in x 12in x 4.12in	20lb	Consult factory
18584	100lb.	12in x 12in x 4.12in	20lb	Consult factory
18586	50lb.	12in x 18in x 4.12in	37lb	Consult factory
18588	100lb.	12in x 18in x 4.12in	37lb	Consult factory
18590	50lb.	18in x 18in x 5.25in	68lb	Consult factory
18592	100lb.	18in x 18in x 5.25in	68lb	Consult factory
18594	150lb.	18in x 18in x 5.25in	68lb	Consult factory
18596	200lb.	18in x 18in x 5.25in	68lb	Consult factory
18598	250lb.	18in x 18in x 5.25in	68lb	Consult factory
18600	300lb.	18in x 18in x 5.25in	68lb	Consult factory
18602	500lb.	18in x 18in x 5.25in	68lb	Consult factory
18604	1,000lb.	18in x 18in x 5.25in	68lb	Consult factory
18606	50lb.	18in x 24in x 5.25in	78lb	Consult factory
18608	100lb.	18in x 24in x 5.25in	78lb	Consult factory
18610	150lb.	18in x 24in x 5.25in	78lb	Consult factory
18612	200lb.	18in x 24in x 5.25in	78lb	Consult factory
18614	250lb.	18in x 24in x 5.25in	78lb	Consult factory
18616	300lb.	18in x 24in x 5.25in	78lb	Consult factory
18618	500lb.	18in x 24in x 5.25in	78lb	Consult factory
18620	1,000lb.	18in x 24in x 5.25in	78lb	Consult factory
18622	100lb.	24in x 24in x 5.25in	78lb	Consult factory
18624	150lb.	24in x 24in x 5.25in	84lb	Consult factory
18626	200lb.	24in x 24in x 5.25in	84lb	Consult factory
18628	250lb.	24in x 24in x 5.25in	84lb	Consult factory
18630	300lb.	24in x 24in x 5.25in	84lb	Consult factory
18632	500lb.	24in x 24in x 5.25in	84lb	Consult factory
18634	1,000lb.	24in x 24in x 5.25in	84lb	Consult factory
<b>Stainless Steel Series</b>				
32918	50lb.	12in x 18in x 3.62in	37lb	Consult factory
32919	100lb.	12in x 18in x 3.62in	37lb	Consult factory
18591	50lb.	18in x 18in x 5.25in	68lb	Consult factory
18593	100lb.	18in x 18in x 5.25in	68lb	Consult factory
18595	150lb.	18in x 18in x 5.25in	68lb	Consult factory
18597	200lb.	18in x 18in x 5.25in	68lb	Consult factory
18599	250lb.	18in x 18in x 5.25in	68lb	Consult factory
18601	300lb.	18in x 18in x 5.25in	68lb	Consult factory
18603	500lb.	18in x 18in x 5.25in	68lb	Consult factory
18605	1,000lb.	18in x 18in x 5.25in	68lb	Consult factory
18607	50lb.	18in x 24in x 5.25in	78lb	Consult factory
18609	100lb.	18in x 24in x 5.25in	78lb	Consult factory
18611	150lb.	18in x 24in x 5.25in	78lb	Consult factory
18613	200lb.	18in x 24in x 5.25in	78lb	Consult factory
18615	250lb.	18in x 24in x 5.25in	78lb	Consult factory
18617	300lb.	18in x 24in x 5.25in	78lb	Consult factory
18619	500lb.	18in x 24in x 5.25in	78lb	Consult factory
18621	1,000lb.	18in x 24in x 5.25in	78lb	Consult factory
18623	100lb.	24in x 24in x 5.25in	84lb	Consult factory
18625	150lb.	24in x 24in x 5.25in	84lb	Consult factory
18627	200lb.	24in x 24in x 5.25in	84lb	Consult factory
18629	250lb.	24in x 24in x 5.25in	84lb	Consult factory
18631	300lb.	24in x 24in x 5.25in	84lb	Consult factory
18633	500lb.	24in x 24in x 5.25in	84lb	Consult factory
18635	1,000lb.	24in x 24in x 5.25in	84lb	Consult factory

**BenchMark™ Mild, Stainless Steel, HE Series**

PART #	CAPACITY	PLATFORM DIMENSIONS	EST. SHIP WEIGHT	PRICE
<b>HE Series</b>				
86950	50lb	12in x 18in x 4in	37 lb	Consult factory
86951	100lb	12in x 18in x 4in	37 lb	Consult factory
86952	50lb	18in x 18in x 5.25in	68 lb	Consult factory
86953	100lb	18in x 18in x 5.25in	68 lb	Consult factory
86954	150lb	18in x 18in x 5.25in	68 lb	Consult factory
86955	200lb	18in x 18in x 5.25in	68 lb	Consult factory
86956	250lb	18in x 18in x 5.5in	68 lb	Consult factory
86957	300lb	18in x 18in x 5.5in	68 lb	Consult factory
86958	500lb	18in x 18in x 5.5in	68 lb	Consult factory
86959	1,000lb	18in x 18in x 5.5in	68 lb	Consult factory
86960	50lb	18in x 24in x 5.25in	78 lb	Consult factory
86961	100lb	18in x 24in x 5.25in	78 lb	Consult factory
86962	150lb	18in x 24in x 5.25in	78 lb	Consult factory
86963	200lb	18in x 24in x 5.25in	78 lb	Consult factory
86964	250lb	18in x 24in x 5.5in	78 lb	Consult factory
86965	300lb	18in x 24in x 5.5in	78 lb	Consult factory
86966	500lb	18in x 24in x 5.5in	78 lb	Consult factory
86967	1,000lb	18in x 24in x 5.5in	78 lb	Consult factory
86968	100lb	24in x 24in x 5.25in	84 lb	Consult factory
86969	150lb	24in x 24in x 5.25in	84 lb	Consult factory
86970	200lb	24in x 24in x 5.25in	84 lb	Consult factory
86971	250lb	24in x 24in x 5.5in	84 lb	Consult factory
86972	300lb	24in x 24in x 5.5in	84 lb	Consult factory
86973	500lb	24in x 24in x 5.5in	84 lb	Consult factory
86974	1,000lb	24in x 24in x 5.5in	84 lb	Consult factory

**OPTIONS/ACCESSORIES**

53001**	304 stainless steel clamshell for added load cell protection (12in x 12in, 12in x 18in) (for mild and stainless steel)	Consult factory
41292**	304 stainless steel clamshell for added load cell protection (18in x 18in, 18in x 24in and 24in x 24in), except not 1,000lb capacity (for mild and stainless steel)	Consult factory
18805**	304 stainless steel clamshell for added load cell protection (18in x 18in 18in x 24in and 24in x 24in), 1,000lb capacity only	Consult factory
112044	12in column for IQ plus® 355 or IQ plus® 210, 320IS (without battery option), 320IS Plus (without battery option), 390-DC or IQ plus® 590-DC, 420 plus®, CW-90 and CW-90X.	Consult factory
112045*	18in column for IQ plus® 355 or IQ plus® 210, 320IS (without battery option), 320IS Plus (without battery option) 390-DC or IQ plus® 590-DC, 420 plus®, CW-90 and CW-90X	Consult factory
64576	Attachment bracket for IQ plus® 355 or IQ plus® 210, 420 plus, 320IS (without battery option), 320IS Plus (without battery option)	Consult factory
64577	Attachment bracket for IQ plus® 390-DC or IQ plus® 590-DC	Consult factory
22125	Additional operating manual	Consult factory

\* Not recommended for use with scale bases smaller than 12in x 12in

\*\* Not for use with HE Series


[Visit us at Transcat.com!](http://Visit us at Transcat.com!)

35 Vantage Point Drive // Rochester, NY 14624 // Call 1.800.800.5001