



True RMS AC Voltage/Current Datalogger

Datalog up to 100,000 readings

With user programmable sample rate from 1 second to 24 hours


TR4NSC4T



Features:

35 Vantage Point Drive // Rochester, NY 14624 // Call 1.800.800.5001

- Measure True RMS AC Voltage (600V) or Current (200A)
- Readings can be downloaded to your PC via the USB interface and analyzed using the included software or exported to a spreadsheet
- High/Low user-settable alarms
- LCD indicates time/date, current readings, Min/Max, and whether alarm settings have been exceeded
- Normal, Peak and Capture (user-specified trigger level) recording modes
- Auto Power off and battery check
- Complete with current clamp, test leads, USB cable, Windows[®] compatible software, universal AC Adaptor, and 3.6V Lithium battery





Function	Range	Resolution	Basic Accuracy
AC Current	10 to 200A	0.1A	\pm (2% rdg \pm 1A)
AC Voltage	10 to 600V	0.1V	$\pm (1.5\% \text{ rdg} \pm 1\text{V})$
Memory	100,000 points		
Sampling Rate	1 second to 24 hours		
PC Interface	USB includes software		
Power	3.6V Lithium battery		
Dimensions	4.5 x 2.5 x 1.3" (114 x 63 x 34mm)		
Weight	8.7oz (248g)		

Ordering Information (Available Q4 2009):

DL150True RMS AC Voltage/Current Datalogger





